

# **Safety Data Sheet**

Issue Date: 14-Mar-2023

Revision Date: 26-Jun-2024

Version 2

# **1. IDENTIFICATION**

Product identifier Product Name

1-Butene

Other means of identificationSDS #EF-033Synonyms1-Butene; Butylene.UN/ID NoUN1012

Recommended use of the chemical and restrictions on useRecommended UseSynthetic/Analytical chemistry.

Details of the supplier of the safety data sheet Supplier Address EFC Gases & Advanced Materials 3266 Bergey Road Hatfield, PA 19440 Email: efcsafety@efcgases.com

Emergency telephone number Company Phone Number

Emergency Telephone

215-443-9600 INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)

# 2. HAZARDS IDENTIFICATION

## Appearance Colorless gas

Physical state Gas

Category 1

Compressed gas

<u>Classification</u>		
	Flammable gases	

## <u>Signal Word</u> Danger

# Hazard statements

Gases under pressure

Extremely flammable gas Contains gas under pressure; may explode if heated



# **Precautionary Statements - Prevention**

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

## Precautionary Statements - Response

LEAKING GAS FIRE: Do not extinguish, unless leak can be stopped safely Eliminate all ignition sources if safe to do so

# **Precautionary Statements - Storage**

Protect from sunlight. Store in a well-ventilated place

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms

1-Butene; Butylene.

Chemical name	CAS No	Weight-%
1-Butene	106-98-9	100

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

4. FIRST AID MEASURES		
<u>Description of first aid measures</u> Eye Contact	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.	
Skin Contact	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.	
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.	
Ingestion	Clean mouth with water and drink afterwards plenty of water.	
Most important symptoms and effe	ects, both acute and delayed	
Symptoms	Contact with rapidly expanding gas may cause burns or frostbite. Try to warm up the frozen tissues and seek medical attention.	
Indication of any immediate medic	al attention and special treatment needed	

Notes to Physician

Treat symptomatically.

# **5. FIRE-FIGHTING MEASURES**

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media None known.

# Specific Hazards Arising from the Chemical

Contains gas under pressure. Extremely flammable gas. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion.

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO2).

## Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Contact supplier immediately for specialist advice. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

# **6. ACCIDENTAL RELEASE MEASURES**

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions For Emergency Responders	Accidental releases pose a serious fire or explosion hazard. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing gas. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non- emergency personnel".	
Environmental precautions		
Environmental precautions	Ensure emergency procedures to deal with accidental gas releases are in place to avoid contamination of the environment. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). See Section 12 for additional Ecological Information.	
Methods and material for containm	ent and cleaning up	
Methods for Containment	Prevent further leakage or spillage if safe to do so.	
Methods for Clean-Up	Immediately contact emergency personnel. Stop leak if without risk. Use spark-proof tools and explosion-proof equipment.	
7. HANDLING AND STORAGE		
	7. HANDLING AND STORAGE	
<u>Precautions for safe handling</u> Advice on Safe Handling	<b>7. HANDLING AND STORAGE</b> Put on appropriate personal protective equipment (see Section 8). Contains gas under pressure. Avoid contact with eyes, skin and clothing. Avoid breathing gas. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Store and use away from heat, sparks, open flame or any other ignition source. Use explosionproof electrical (ventilating, lighting and material handling) equipment. Use only non sparking tools. Empty containers retain product residue and can be hazardous. Do not puncture or incinerate container. Use equipment rated for cylinder pressure. Close valve after each use and when empty. Protect cylinders from physical damage; do not drag, roll, slide, or drop. Use a suitable hand truck for cylinder movement.	
Advice on Safe Handling	Put on appropriate personal protective equipment (see Section 8). Contains gas under pressure. Avoid contact with eyes, skin and clothing. Avoid breathing gas. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Store and use away from heat, sparks, open flame or any other ignition source. Use explosionproof electrical (ventilating, lighting and material handling) equipment. Use only non sparking tools. Empty containers retain product residue and can be hazardous. Do not puncture or incinerate container. Use equipment rated for cylinder pressure. Close valve after each use and when empty. Protect cylinders from physical damage; do not drag, roll, slide, or drop. Use a suitable hand truck for cylinder movement.	
Advice on Safe Handling	Put on appropriate personal protective equipment (see Section 8). Contains gas under pressure. Avoid contact with eyes, skin and clothing. Avoid breathing gas. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Store and use away from heat, sparks, open flame or any other ignition source. Use explosionproof electrical (ventilating, lighting and material handling) equipment. Use only non sparking tools. Empty containers retain product residue and can be hazardous. Do not puncture or incinerate container. Use equipment rated for cylinder pressure. Close valve after each use and when empty. Protect cylinders from physical damage; do not drag, roll, slide, or drop. Use a suitable hand truck for cylinder movement.	

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
1-Butene	TWA: 250 ppm	-	-
106-98-9			

## Appropriate engineering controls

Engineering Controls	Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or
	other engineering controls to keep worker exposure to airborne contaminants below any
	recommended or statutory limits. The engineering controls also need to keep gas, vapor or
	dust concentrations below any lower explosive limits. Use explosion-proof ventilation
	equipment.

## Individual protection measures, such as personal protective equipment

Eye/Face Protection	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead. Recommended: safety glasses with side-shields.
Skin and Body Protection	Hand protection: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated
	Body protection: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product
	Other skin protection: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory Protection	Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state
Appearance
Color

Gas Colorless gas Colorless

Odor Odor Threshold Not determined Not determined

Property_	Values
рН	No data available
Melting point / freezing point	-185°C / -301°F
Initial boiling point and boiling	-6.47°C / 20.4°F
range	
Flash point	-80°C / -112°F
Evaporation Rate	Not determined
Flammability (Solid, Gas)	Not determined
Flammability Limit in Air	
Upper flammability or explosive	9.3%
limits	
Lower flammability or explosive	1.5%
limits	
Vapor Pressure	23.5
Vapor Density	1.93
Relative Density	Not determined
Water Solubility	Not determined
Solubility in other solvents	Not determined
Partition Coefficient	Not determined
Autoignition temperature	No data available
Decomposition temperature	Not determined
Kinematic viscosity	Not determined
Dynamic Viscosity	Not determined
Explosive Properties	Not determined
Oxidizing Properties	Not determined

## Remarks • Method

# **10. STABILITY AND REACTIVITY**

# Reactivity

Not reactive under normal conditions.

#### **Chemical stability**

Stable under recommended storage conditions.

# Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization Will not occur.

#### **Conditions to Avoid**

Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.

#### Incompatible materials

Oxidizers.

## Hazardous decomposition products

None known based on information supplied.

# **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Product Information	
Eye Contact	Avoid contact with eyes.
Skin Contact	Avoid contact with skin.

Inhalation

Do not inhale.

Ingestion Do not ingest.

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
1-Butene	-	-	> 10000 ppm (Rat)4 h
106-98-9			

#### Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Please see section 4 of this SDS for symptoms.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Carcinogenicity** Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

#### Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document Not determined.

# **12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

# Persistence/Degradability

Not determined.

#### **Bioaccumulation**

There is no data for this product.

#### Mobility

Chemical name	Partition coefficient
1-Butene	2.4
106-98-9	

# Other adverse effects

Not determined

# **13. DISPOSAL CONSIDERATIONS**

# Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

# **14. TRANSPORT INFORMATION**

<u>Note</u>	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.
DOT	
UN/ID No	UN1012
Proper Shipping Name	Butylene
Transport hazard class(es)	2.1
UN number or ID number	UN1012
Proper Shipping Name	Butylene
Transport hazard class(es)	2.1
IMDG_	

MDG	
UN number or ID number	UN1012
Proper Shipping Name	Butylene
Transport hazard class(es)	2.1

# **15. REGULATORY INFORMATION**

## International Inventories

Chemical name	TSCA	TSCA Inventory Status	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AIIC
1-Butene	Х	ACTIVE	Х	Х	Х	Х	Х	Х	Х

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### US Federal Regulations

## **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

# SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	Yes
Sudden Release of Pressure Hazard	Yes
Reactive Hazard	No

# SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

## CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

# US State Regulations

## California Proposition 65

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
1-Butene	Х	X	Х
106-98-9			

# **16. OTHER INFORMATION**

<u>NFPA</u> H	Health hazards	Flammability	Instability	Special hazards
HMIS H	Health hazards	- Flammability -	- Physical hazards -	- Personal Protection -

Issue Date:	14-Mar-2023
Revision Date:	26-Jun-2024
Revision Note:	Regulatory review

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

## **End of Safety Data Sheet**