

Material Name: Deuterium

* * *Section 1 - IDENTIFICATION* * *

Manufacturer Information

Electronic Fluorocarbons, LLC 3266 Bergey Road Hatfield PA 19440 General Information: 215-443-96005 Emergency #: 1-800-535-5035 (Infrotrac)

Outside the US: 1-352-323-3500

Product Identifier: Deuterium

Trade Names/Synonyms

Deuterium molecule; Diplogen; Hydrogen-D2; Hydrogen-2; D2

Chemical Family

inorganic, gas

Product Use

industrial

Restrictions on Use

None known.

* * *Section 2 - HAZARDS IDENTIFICATION* * *

GHS Classification

Flammable gas, Category 1
Gas under pressure, Compressed gas

GHS LABEL ELEMENTS

Symbol(s)



Signal Word

DANGER

Hazard Statement(s)

Extremely flammable gas

Contains gas under pressure; may explode if heated

Precautionary Statement(s)

Prevention

Keep away from heat, sparks, open flame, and hot surfaces - No smoking.

Response

Leaking gas fire: Do not extinguish, unless leak can be stopped safely. Eliminate all ignition sources if safe to do so.

Storage

Store in a well-ventilated place. Protect from sunlight.

Disposal

Dispose in accordance with all applicable regulations.

Page 1 of 7 Issue Date: 05/21/2014 Revision 1

Material Name: Deuterium

Other Hazards which do not Result in Classification

May cause asphyxia. May cause frostbite upon sudden release of compressed gas.

* * *Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS* * *

CAS#	Component	Percent
7782-39-0	Deuterium	100

Component Related Regulatory Information

This product may be regulated, have exposure limits or other information identified as the following: Hydrogen (1333-74-0).

* * *Section 4 - FIRST AID MEASURES* * *

Inhalation

If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. If breathing is difficult, oxygen should be administered by qualified personnel. Get immediate medical attention.

Skin

If frostbite or freezing occur, immediately flush with plenty of lukewarm water (105-115 F; 41-46 C). DO NOT USE HOT WATER. If warm water is not available, gently wrap affected parts in blankets. Get immediate medical attention.

Eyes

Flush eyes with plenty of water for at least 15 minutes. Then get immediate medical attention.

Ingestion

If a large amount is swallowed, get medical attention.

Note to Physicians

For inhalation, consider oxygen.

Symptoms: Immediate

frostbite, suffocation

Symptoms: Delayed

No information on significant adverse effects.

* * *Section 5 - FIRE FIGHTING MEASURES* * *

See Section 9 for Flammability Properties

Specific Hazards Arising from the Chemical

Severe fire hazard. Gas/air mixtures are explosive. Electrostatic discharges may be generated by flow or agitation resulting in ignition or explosion. Burns with invisible flame.

Extinguishing Media

carbon dioxide, regular dry chemical

Large fires: water spray or fog

Unsuitable Extinguishing Media

None known.

Protective Equipment and Precautions for Firefighters

Wear full protective fire fighting gear including self contained breathing apparatus (SCBA) for protection against possible exposure.

Page 2 of 7	Issue Date: 05/21/2014	Revision 1

Material Name: Deuterium

Fire Fighting Measures

Move container from fire area if it can be done without risk. Cool containers with water spray until well after the fire is out. Stay away from the ends of tanks. For fires in cargo or storage area: Cool containers with water from unmanned hose holder or monitor nozzles until well after fire is out. If this is impossible then take the following precautions: Keep unnecessary people away, isolate hazard area and deny entry. Let the fire burn. Withdraw immediately in case of rising sound from venting safety device or any discoloration of tanks due to fire. For tank, rail car or tank truck: Stop leak if possible without personal risk. Let burn unless leak can be stopped immediately. For smaller tanks or cylinders, extinguish and isolate from other flammables. Evacuation radius: 800 meters (1/2 mile). Do not attempt to extinguish fire unless flow of material can be stopped first. Flood with fine water spray. Cool containers with water spray until well after the fire is out. Apply water from a protected location or from a safe distance. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas. Evacuate if fire gets out of control or containers are directly exposed to fire. Evacuation radius: 500 meters (1/3 mile). Consider downwind evacuation if material is leaking.

* * *Section 6 - ACCIDENTAL RELEASE MEASURES* * *

Personal Precautions

Wear personal protective clothing and equipment, see Section 8.

Environmental Precautions

Avoid release to the environment.

Methods for Containment

Leaking gas fire: Do not extinguish, unless leak can be stopped safely. Avoid heat, flames, sparks and other sources of ignition. Do not touch spilled material. Stop leak if possible without personal risk. Reduce vapors with water spray. Keep unnecessary people away, isolate hazard area and deny entry.

Cleanup Methods

Remove sources of ignition. Ventilate closed spaces before entering.

* * *Section 7 - HANDLING AND STORAGE* * *

Handling Procedures

Wash thoroughly after handling.

Storage Procedures

Store and handle in accordance with all current regulations and standards. Store in a well-ventilated place. Protect from sunlight. Subject to storage regulations: U.S. OSHA 29 CFR 1910.101. Keep separated from incompatible substances.

Incompatibilities halogens, oxidizing materials

* * *Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION* * *

Component Exposure Limits

Deuterium (7782-39-0)

ACGIH: Simple asphyxiant (See Appendix F: Minimal Oxygen Content, related to Hydrogen)

Component Biological Limit Values

There are no biological limit values for any of this product's components.

Engineering Controls

Ventilation equipment should be explosion-resistant if explosive concentrations of material are present. Provide local exhaust ventilation system. Ensure compliance with applicable exposure limits.

PERSONAL PROTECTIVE EQUIPMENT

Eyes/Face

Wear splash resistant safety goggles. Contact lenses should not be worn. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

Page 3 of 7 Issue Date: 05/21/2014 Revision 1

Material Name: Deuterium

Protective Clothing

For the gas: Wear appropriate chemical resistant clothing. For the liquid: Wear appropriate protective, cold insulating clothing.

Glove Recommendations

For the gas: Wear appropriate chemical resistant gloves. For the liquid: Wear insulated gloves.

Respiratory Protection

Under conditions of frequent use or heavy exposure, respiratory protection may be needed.

Respiratory protection is ranked in order from minimum to maximum.

Consider warning properties before use.

Any supplied-air respirator with a full facepiece that is operated in a pressure-demand or other positive-pressure mode.

Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode.

For Unknown Concentrations or Immediately Dangerous to Life or Health -

Any supplied-air respirator with a full facepiece that is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained breathing apparatus operated in pressure-demand or other positive-pressure mode.

Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode.

* * *Section 9 - PHYSICAL AND CHEMICAL PROPERTIES* * *

Physical State: Gas Appearance: Colorless gas

Color: colorless Physical Form: gas

Odor: odorless Odor Threshold: Not available pH: Not available Melting/Freezing Point: -254 °C

LEL: 5 % **UEL**: 75 %

Vapor Pressure: 17.14 kPa Vapor Density (air = 1): 0.1

Specific Gravity (water=1): 0.169 @ -253 °C Water Solubility: slightly soluble in cold water

Log KOW:Not availableAuto Ignition:585 °CViscosity:Not availableMolecular Weight:4.028

Molecular Formula: D2

* * *Section 10 - STABILITY AND REACTIVITY* * *

Reactivity

No reactivity hazard is expected.

Chemical Stability

Stable at normal temperatures and pressure.

Conditions to Avoid

Avoid heat, flames, sparks and other sources of ignition. Minimize contact with material. Containers may rupture or explode if exposed to heat.

Possibility of Hazardous Reactions

Will not polymerize.

Incompatible Materials

halogens, oxidizing materials

Page 4 of 7 Issue Date: 05/21/2014 Revision 1

Material Name: Deuterium

Decomposition Products

None known.

* * *Section 11 - TOXICOLOGICAL INFORMATION* * *

Acute and Chronic Toxicity

Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published:

Deuterium (7782-39-0)

Inhalation LC50 Rat >15000 ppm 1 h (related to Hydrogen)

RTECS Acute Toxicity (selected)

The components of this material have been reviewed and RTECS publishes no data as of the date on this document.

Immediate Effects

frostbite, suffocation

Delayed Effects

No information on significant adverse effects.

Irritation/Corrosivity Data

See component data.

RTECS Irritation

The components of this material have been reviewed and RTECS publishes no data as of the date on this document.

Respiratory Sensitizer

No data available.

Dermal Sensitizer

No data available.

Carcinogenicity

Component Carcinogenicity

None of this product's components are listed by ACGIH, IARC, NTP, OSHA or DFG.

RTECS Mutagenic

The components of this material have been reviewed, and RTECS publishes data for one or more components.

Reproductive Effects Data

No data available.

RTECS Tumorigenic

The components of this material have been reviewed, and RTECS publishes data for one or more components.

Specific Target Organ Toxicity - Single Exposure

No data available.

Specific Target Organ Toxicity - Repeated Exposure

No data available.

Aspiration Hazard

Not applicable.

Medical Conditions Aggravated by Exposure

None known.

* * *Section 12 - ECOLOGICAL INFORMATION* * *

Component Analysis - Aquatic Toxicity

No LOLI ecotoxicity data are available for this product's components.

TWO LOCAL GOOD NORTH GRAND AND AND AND AND AND AND AND AND AND							
Page 5 of 7	Issue Date: 05/21/2014	Revision 1					

Material Name: Deuterium

Persistence and Degradability

No data available.

Bioaccumulative Potential

No data available.

Mobility in Environmental Media

No data available.

* * *Section 13 - DISPOSAL CONSIDERATIONS* * *

Disposal Methods

Dispose in accordance with all applicable regulations. Subject to disposal regulations: U.S. EPA 40 CFR 262. Hazardous Waste Number(s): D001.

Component Waste Numbers

The U.S. EPA has not published waste numbers for this product's components.

* * *Section 14 - TRANSPORT INFORMATION* * *

US DOT Information

Shipping Name: Deuterium, compressed **UN/NA #:** UN1957 **Hazard Class:** 2.1

Required Label(s): 2.1

IMDG Information

Shipping Name: Deuterium, compressed **UN #:** UN1957 **Hazard Class:** 2.1

Required Label(s): 2.1

* * *Section 15 - REGULATORY INFORMATION* * *

Component Analysis

U.S. Federal Regulations

None of this products components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

SARA 311/312 Hazardous Categories

Acute Health: Yes Chronic Health: No Fire: Yes Pressure: Yes Reactive: No

U.S. State Regulations

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA
Deuterium (¹related to: Hydrogen)	7782-39-0	Yes ¹	Yes	Yes ¹	Yes	Yes

Not regulated under California Proposition 65

Component Analysis - Inventory

Component	CAS	US	CA	EU	AU	PH	JP	KR	CN	NZ
Deuterium	7782-39-0	Yes	DSL	EIN	No	Yes	No	Yes	Yes	Yes

* * *Section 16 - OTHER INFORMATION* * *

NFPA Ratings: Health: 2 Fire: 4 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Page 6 of 7

Issue Date: 05/21/2014 Revision 1

Material Name: Deuterium	Safety Data	Sheet
	Issue Date: 05/21/2014	Pavision 1

Page 7 of 7 Issue Date: 05/21/2014 Revision 1