

Material Name: Silane

* * *Section 1 - IDENTIFICATION* * *

GHS product identifier	: Silane
Chemical name	: silane
Other means of identification	: Silicon tetrahydride; Silicane; Monosilane; silicon hydride
Product use	: Synthetic/Analytical chemistry.
Synonym	: Silicon tetrahydride; Silicane; Monosilane; silicon hydride
Supplier's details	: Electronic Fluorocarbons 3266 Bergey Road Hatfield PA 19440
Emergency telephone # Outside the US (call collect)	: 1-800-535-5053 1-352-323-3500
	* * *Section 2 - HAZARDS IDENTIFICATION* * *
OSHA/HCS status	: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	: FLAMMABLE GASES - Category 1 GASES UNDER PRESSURE - Compressed gas PYROPHORIC GASES - Category 1 ACUTE TOXICITY (inhalation) - Category 4
GHS label elements	
Hazard pictograms	
Signal word	: Danger
Hazard statements	 Extremely flammable gas. May form explosive mixtures with air. Contains gas under pressure; may explode if heated. Catches fire spontaneously if exposed to air. May displace oxygen and cause rapid suffocation. Harmful if inhaled.
Precautionary statements	
General	: Read and follow all Safety Data Sheets (SDS'S) before use. Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand. Close valve after each use and when empty. Use equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use a back flow preventative device in the piping. Use only equipment of compatible materials of construction. Approach suspected leak area with caution.
Prevention	: Never Put cylinders into unventilated areas of passenger vehicles. Keep away from heat, sparks, open flames and hot surfaces No smoking. Use only outdoors or in a well-ventilated area. Avoid breathing gas. Use and store only outdoors or in a well ventilated place.

Material Name: Silane

Response	: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or physician if you feel unwell. Leaking gas fire: Do not extinguish, unless leak can be stopped safely. Eliminate all ignition sources if safe to do so.	
Storage	 Protect from sunlight. Protect from sunlight when ambient temperature exceeds 52°C/125°F. Store in a well-ventilated place. 	
Disposal	: Not applicable.	
Hazards not otherwise classified	: In addition to any other important health or physical hazards, this product may displace oxygen and cause rapid suffocation.	
* * *Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS* * *		

Substance/mixture	: Substance
Chemical name	: silane
Other means of identification	: Silicon tetrahydride; Silicane; Monosilane; silicon
	hydride

CAS number/other identifiers

CAS number	: 7803-62-5
Product code	: 001073

Ingredient name	%	CAS number
silane	100	7803-62-5

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

* * *Section 4 - FIRST AID MEASURES* * *

Description of necessary first aid measures

Becomption of heeceda	<u>j mot dia modo di co</u>
Eye contact	 Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. To avoid the risk of static discharges and gas ignition, soak contaminated clothing thoroughly with water before removing it. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: As this product is a gas, refer to the inhalation section.

Most important symptoms/effects, acute and delayed

Potential acute health effects Eye contact : Contact with rapidly expanding gas may cause burns or frostbite. Inhalation : Harmful if inhaled.

Skin contact	: Contact with rapidly expanding gas may cause burns or frostbite.		
Frostbite	: Try to warm up the frozen tissues and seek medical attention.		
Ingestion	: As this product is a gas, refer to the inhalation section.		
Over-exposure signs/symptoms			
Eye contact	: No specific data.		
Inhalation	: No specific data.		
Skin contact	: No specific data.		
Ingestion	: No specific data.		
Indication of immediate medical attention and special treatment needed, if necessary			
Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. 		
Specific treatments	: No specific treatment.		
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. If it		

No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

* * *Section 5 - FIRE FIGHTING MEASURES* * *		
Extinguishing media		
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.	
Unsuitable extinguishing media	: None known.	
Specific hazards arising from the chemical	: Contains gas under pressure. Extremely flammable gas. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion.	
Hazardous thermal decomposition products	: Decomposition products may include the following materials: metal oxide/oxides	
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Contact supplier immediately for specialist advice. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool. If involved in fire, shut off flow immediately if it can be done without risk. If this is impossible, withdraw from area and allow fire to burn. Fight fire from protected location or maximum possible distance. Eliminate all ignition sources if safe to do so.	
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.	

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	Accidental releases pose a serious fire or explosion hazard. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing gas. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions		Ensure emergency procedures to deal with accidental gas releases are in place to avoid contamination of the environment. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containment and cleaning up		
Small spill	:	Immediately contact emergency personnel. Stop leak if without risk. Use spark-proof tools and explosion-proof equipment.

Large spill: Immediately contact emergency personnel. Stop leak if without risk. Use spark-proof
tools and explosion-proof equipment. Note: see Section 1 for emergency contact
information and Section 13 for waste disposal.

* * *Section 7 - HANDLING AND STORAGE* * *

Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Contains gas under pressure. Avoid contact with eyes, skin and clothing. Avoid breathing gas. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Empty containers retain product residue and can be hazardous. Do not puncture or incinerate container. Use equipment rated for cylinder pressure. Close valve after each use and when empty. Protect cylinders from physical damage; do not drag, roll, slide, or drop. Use a suitable hand truck for cylinder movement.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in a segregated and approved area. Store away from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Eliminate all ignition sources. Keep container tightly closed and sealed until ready for use. Cylinders should be stored upright, with valve protection cap in place, and firmly secured to prevent falling or being knocked over. Cylinder temperatures should not exceed 52 °C (125 °F).

* * *Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION* * *

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
silane	ACGIH TLV (United States, 3/2012). TWA: 6.6 mg/m ³ 8 hours. TWA: 5 ppm 8 hours. NIOSH REL (United States, 1/2013). TWA: 7 mg/m ³ 10 hours. TWA: 5 ppm 10 hours. OSHA PEL 1989 (United States, 3/1989). TWA: 7 mg/m ³ 8 hours. TWA: 5 ppm 8 hours.
Appropriate engineering controls	: Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection meas	sures
Hygiene measures	 Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

'*Section - - D\ mg]WU`UbX`7 \ Ya]WU`DfcdYf]h]Yg*

Appearance

Physical state Color Molecular weight Molecular formula	 Gas. [COLORLESS GAS WITH A REPULSIVE ODOR] Colorless. 32.12 g/mole H4-Si
Boiling/condensation point Melting/freezing point Critical temperature	 -112°C (-169.6°F) -185°C (-301°F) -3.4°C (25.9°F)
Odor Odor threshold pH Flash point	 Characteristic. Not available. Not available. Not available.
Burning time Burning rate Evaporation rate	Not applicable.Not applicable.Not available.
Flammability (solid, gas) Lower and upper explosive (flammable) limits Vapor pressure	: Not available. : Lower: 1% Upper: 96% : Not available.
Vapor density Specific Volume (ft ³/lb) Gas Density (lb/ft ³) Relative density	: 1.3 (Air = 1) :11.1235 : 0.0899 : Not applicable.
Solubility Solubility in water Partition coefficient: n- octanol/water	Not available.Not available.Not available.
Auto-ignition temperature Decomposition temperature SADT	Not available.Not available.Not available.
Viscosity	: Not applicable.

* * *Section 10 - STABILITY AND REACTIVITY* * *

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.

Material Name: Silane

Conditions to avoid	id all possible sources of ignition (spark or flame). Do not press ze, solder, drill, grind or expose containers to heat or sources of	
Incompatibility with various substances	emely reactive or incompatible with the following materials: oxic	lizing materials.
Hazardous decomposition products	ler normal conditions of storage and use, hazardous decomposi be produced.	tion products should
Hazardous polymerization	ler normal conditions of storage and use, hazardous polymeriza	tion will not occur.

* * *Section 11 - TOXICOLOGICAL INFORMATION* * *

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
silane	LC50 Inhalation Gas.	Rat	19000 ppm	1 hours

Irritation/Corrosion

Not available.

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely : Not available. routes of exposure

Potential acute health effects

Eye contact	: Contact with rapidly expanding gas may cause burns or frostbite.
Inhalation	: Harmful if inhaled.
Skin contact	: Contact with rapidly expanding gas may cause burns or frostbite.
Ingestion	: As this product is a gas, refer to the inhalation section.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Long term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Potential chronic health effe	ct	6

Not available.

General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

* * *Section 12 - ECOLOGICAL INFORMATION* * *

Toxicity

Not available.

Persistence and degradability

Not available.

Bioaccumulative potential

Not available.

Mobility in soil

 Soil/water partition
 : Not available.

 coefficient (Koc)

Other adverse effects : No known significant effects or critical hazards.

	* * *Section 13 - DISPOSAL CONSIDERATIONS* * *
Disposal methods	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Do not puncture or incinerate container.

* * *Section 14 - Transport Information* * *

	DOT	TDG	Mexico	IMDG	ΙΑΤΑ
UN number	UN2203	UN2203	UN2203	UN2203	UN2203
UN proper shipping name	SILANE	SILANE, COMPRESSED	SILANE	SILANE	SILANE
Transport hazard class(es)	2.1	2.1	2.1	2.1	2.1
Packing group	-	-	-	-	-
Environment	No.	No.	No.	No.	No.
Additional information	-	Explosive Limit and Limited Quantity Index 0.125 ERAP Index 25 Passenger Carrying Ship Index Forbidden Passenger Carrying Road or Rail Index Forbidden Special provisions 38	-	-	Passenger and Cargo <u>Aircraft</u> Quantity limitation: 0 Forbidden <u>Cargo Aircraft Only</u> Quantity limitation: 0 Forbidden

"Refer to CFR 49 (or authority having jurisdiction) to determine the information required for shipment of the product."

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to Annex II of MARPOL 73/78 and the IBC Code

*	* *(Section	15 - REG	ULATO		ATION* * *	*	
U.S. Federal regulations		United S	States inven	ntory (TSC	CA 8b): This m	n: Not determir naterial is lister le substance :	d or exempted.	
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	:	Not liste	d					
Clean Air Act Section 602 Class I Substances	:	Not liste	d					
Clean Air Act Section 602 Class II Substances	:	Not liste	d					
DEA List I Chemicals (Precursor Chemicals)	:	Not liste	d					
DEA List II Chemicals (Essential Chemicals)	:	Not liste	d					
SARA 302/304								
Composition/information	on i	ngredier	<u>nts</u>					
No products were found.								
SARA 304 RQ <u>SARA</u>	:	Not app	licable.					
<u>311/312</u>								
Classification	: Fire hazard Sudden release of pressure							
			ate (acute) he		rd			
Composition/information	on	ingredie	nts					
Name			%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
silane			100	Yes.	Yes.	No.	Yes.	No.
tate regulations								
Massachusetts		This ma	terial is listed	4				
New York New	:		terial is not li					
Jersey	:		terial is listed					
Pennsylvania	:		terial is listed					
anada inventory	:		terial is listed		oted.			
nternational regulations				·				
International lists	:	China in Japan in Korea in Malaysi New Zea Philippi	nventory (IE nventory: Th nventory: Th a Inventory aland Inventory nes invento	CSC): Thi nis materia nis materia (EHS Reg tory of Ch ry (PICCS	s material is li al is listed or e al is listed or e gister) : Not de nemicals (NZI S): This materi	xempted. etermined. o C) : This mat al is listed or e	erial is listed or	exempted.
Chemical Weapons	:	Not liste		JONN) : NO	ot determined.			

Chemical Weapons : | Convention List Schedule I Chemicals

Material Name: Silane

Chemical Weapons Convention List Schedule II Chemicals	: Not listed
Chemical Weapons Convention List Schedule III Chemicals	: Not listed
Canada	
WHMIS (Canada)	: Class A: Compressed gas. Class B-6: Reactive flammable material
	CEPA Toxic substances: This material is not listed. Canadian ARET: This material is not listed. Canadian NPRI: This material is not listed.
	Alberta Designated Substances: This material is not listed.
	Ontario Designated Substances: This material is not listed.

Quebec Designated Substances: This material is not listed.

* * *Section 16 - OTHER INFORMATION* * *

Canada Label requirements : Class A: Compressed gas.

Class B-6: Reactive flammable material

NFPA Ratings

Health: 1 Fire: 4 Reactivity: 1

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CAS - Chemical Abstracts Service; CERCLA -Comprehensive Environmental Response, Compensation, and Liability Act; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSL - Domestic Substances List; EEC - European Economic Community; EINECS - European Inventory of Existing Commercial Chemical Substances; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; JP - Japan; Kow - Octanol/water partition coefficient; KR - Korea; LEL - Lower Explosive Limit; LOLI -List Of LIsts™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL -Maximum Exposure Limits; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA -Occupational Safety and Health Administration; PH - Philippines; RCRA - Resource Conservation and Recovery Act; RID - European Rail Transport; RTECS - Registry of Toxic Effects of Chemical Substances®; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act; TWA - Time Weighted Average; UEL - Upper Explosive Limit; US - United States Other Information

Electronic Fluorocarbons makes no express or implied warranties, guarantees or representations regarding the product or the information herein, including but not limited to any implied warranty or merchantability or fitness for use. Electronic Fluorocarbons shall not be liable for any personal injury, property or other damages of any nature, whether compensatory, consequential, exemplary, or otherwise, resulting from any publication, use or reliance upon the information herein.